

INDEX MAPS.

T.18 N, R. 5 W. 2<sup>nd</sup> Mer.

	186		186		185		185		185		184
185	6	210	5	206	4	201	3	196	2	192	1 184
	212		210		205		201		196		192
187	7	209	8	205	9	200	10	196	11	191	12 184
	212		209		205		200		195		191
187	18	209	17	204	16	199	15	195	14	191	13 183
	212		208		204		199		194		190
187	19	208	20	203	21	199	22	194	23	190	24 183
	211		207		203		198		194		189
187	30	207	29	202	28	198	27	193	26	189	25 183
	211		206		202		197		193		188
186	31	206	32	202	33	197	34	192	35	188	36 182
	182		182		182		181		181		181

T.19 N, R. 5 W. 2<sup>nd</sup> Mer.

	220		220		219		219		219		218
222	6	244	5	238	4	234	3	230	2	226	1 218
	244		243		238		234		230		226
222	7	243	8	238	9	234	10	229	11	226	12 218
	243		242		237		233		229		225
221	18	242	17	237	16	233	15	229	14	225	13 218
	242		241		237		232		228		224
221	19	241	20	236	21	232	22	228	23	224	24 217
	241		240		236		232		227		223
221	30	240	29	236	28	231	27	227	26	223	25 217
	239		239		235		231		227		223
221	31	239	32	235	33	231	34	225	35	224	36 217
	216		216		216		215		215		215

The figures on the lines refer to the page.

Township N. 19 North, Range N. 5 West 2. Mer. Ind<sup>a</sup>.

### Township Lines.

Ch. Sk. South Boundary. Var. 6° 50' E.

Bearings at cor. of T. 18 & 19 N, R. 4 & 5 W

a Sycamore 36 in. diameter N 65 E 3 1/2 lbs. dist 18

a Lym 10 " " " N 28 W 9 " "

West on the S. Boundary of Sec. 36

2.00 a dry Branch 40 lbs. wide course N 4 W

40.00 set gr. sec. post from which

a Hickory 14 in. diameter N 79 E 26 lbs. dist. 8

a B. Walnut 27 " " " S 48 W 27 " "

52.50 first rate Spring branch course S 4 W

80.00 set post cor. of sec. 35 & 36 from which

a Hickory 24 in. diameter S 83 E 11 lbs. dist. 8

an Ironwood 6 " " " S 52 W 6 " "

Land 1<sup>st</sup> rate

West on the S. Boundary of Sec. 35

5.50 a Spring branch 10 lbs. wide course N 4 W. large enough to turn a mill

40.00 set gr. sec. post from which

a Thorn 8 in. diameter S 59 E 19 lbs. dist 8

a Buckeye 10 " " " N 7 W 27 " "

49.00 a Creek 200 lbs. wide course S 4 W

70.00 same Creek " " " N 4 W

80.00 set post cor. of sec. 34 & 35 from which

a Cherry 20 in. diameter N 64 E 33 lbs. dist 8

a Sugar 30 " " " S 8 E 39 " "

Land 1<sup>st</sup> rate

West on the S. Boundary of Sec. 34

38.00 a Creek 200 lbs. wide course S E

40.00 set gr. sec. post from which

an Ironwood 7 in. diameter S 15 W 40 lbs. dist 8

a Cedar 8 " " " N 8 E 56 " "

80.00 set post cor. of sec. 33 & 34 from which

a W. Oak 20 in. diameter N 51 W 8 lbs. dist. 8

T. 19 N., R. 5 W. 2<sup>d</sup>. Mer. Ind.<sup>a</sup>

Ch. Sh.

a W. Oak 20 in. diameter South 24 lbs. dist.  
Land T. rate

West on the S. Boundary of Sec. 33.

40.00 set of sec. part from which

a Buckeye 18 in. diameter S 50 W 3 lbs. dist. 8

a Sugar 27 " " " N 51 E 42 " "

40.00 a Brook 12 lbs. wide course S

72.00 a Do 3 " " " S

80.00 set part cor. of sec. 32 & 33 from which

a W. Oak 7 in. diameter North 17 lbs. dist. 8

a Beech 18 " " " S 89 W 25 " "

Land T. rate

West on the S. Boundary of Sec. 32

September 25, 1819

6.50 a Creek 30 lbs. wide course S

40.00 set of sec. part from which

a Sugar 10 in. diameter N 58 W 19 lbs. dist. 8

a Do 9 " " " S 42 W 22 " "

68.00 a Spring branch 10 lbs. wide course S.

71.00 a Do 6 " " " S

76.00 same Spring branch " NE

80.00 set part cor. of sec. 31 & 32 from which

a Sugar 12 in. diameter N 70 E 8 lbs. dist. 8

a Do 10 " " " S 56 W 21 " "

Good farming land, timber Beech, Sugar, Ash  
Oaks, Elm &c.

West on the S. Boundary of Sec. 31

40.00 set of sec. part from which

a Blue Ash 14 in. diameter S 6 E 24 lbs. dist. 8

a Sugar 12 " " " N 16 W 23 " "

75.97 Interest Range line at the township corner,  
which established for cor. of T. 18 & 19 N., R. 5 & 6 W  
from which

T. 19 N., R. 5 W. 2. Mer. Ind.<sup>a</sup>  
 Ch. 2<sup>nd</sup>.

a Blue Ash 12 in. dia. leans N 15° W 18 ft. dist &  
 an Elm 30 " " " S 9° W 36 " "  
 Land very rich & good for farming, timber same  
 as last noted with some Walnut &c.

East Boundary. Var. 6° 30' E  
 North on the E. Boundary of Sec. 36  
 October 3. 1819

40.00 set g. sec. post from which  
 an Elm 10 in. dia. leans S 75° E 14 ft. dist &  
 a W. Walnut 30 " " " N 61° W 39 " "  
 60.00 a Creek 150 ft. wide course W  
 80.00 set post cor. of sec. 25 & 36 from which  
 a W. Oak 36 in. dia. leans S 32° E 48 ft. dist &  
 a Do 12 " " " N 48° W 15 " "  
 Land S. of Creek 1<sup>st</sup> rate.

North on the E. Boundary of Sec. 25

40.00 set g. sec. post from which  
 an Elm 27 in. dia. leans S 16° E 36 ft. dist &  
 a W. Oak 24 " " " N 32° W 42 " "  
 67.50 a Brook 8 ft. wide course W  
 80.00 set post cor. of sec. 24 & 25 from which  
 a Gum 18 in. dia. leans S 80° E 14 ft. dist &  
 a I. Oak 15 " " " N 30° W 24 " "  
 Land level 2<sup>nd</sup> rate, good farming land, timber  
 Oak, Beech, Sugar, Hickory

North on the E. Boundary of Sec. 24

40.00 set g. sec. post from which  
 a Sugar 10 in. dia. leans N 38° E 11 ft. dist &  
 a Do 30 " " " S 18° W 44 " "  
 80.00 set post cor. of sec. 13 & 24 from which  
 an Elm 14 in. dia. leans N 5° W 14 ft. dist &  
 a W. Oak 27 " " " S 79° E — " "  
 Land rich & good for farming, 3/4 mile nearly



T. 19 N., R. 5 W. 2. Mer. Ind.<sup>a</sup>  
 Ch. Ck.

1<sup>st</sup> rate, timber Sugar, Walnut &c

North on the E. Boundary of Sec. 13

8.50 a Creek 30 lbs. wide corner NW

40.00 set of sec. part from which

a W. Oak 30 in. diameter S 27° W 36 lbs. dist. 8

a Sugar 9 " " " N 15° W 10 " "

80.00 set part cor. of sec. 12 & 13 from which

a Beech 9 in. diameter S 35° W 22 lbs. dist. 8

a W. Oak 14 " " " N 35° W 18 " "

North on the E. Boundary of Sec. 12

40.00 set of sec. part from which

a Hickory 9 in. diameter S 22° W 23 lbs. dist. 8

a Sugar 11 " " " N 7° E 25 " "

80.00 set part cor. of sec. 11 & 12 from which

a W. Walnut 15 in. diameter S 4° W 44 lbs. dist. 8

a B. Oak 30 " " " N 28° W 45 " "

Land level rich & good for farming

North on the E. Boundary of Sec. 1

40.00 set of sec. part from which

a Hickory 12 in. diameter N 56° E 13 lbs. dist. 8

an Elm 10 " " " S 6° E 41 " "

70.00 enter Prairie

80.00 set temp. Township corner part

86.67 to part cor. of T. 19 & 20 N., R. 4 & 5 W. from which

a W. Oak 24 in. diameter S 28° W 365 lbs. dist. 8

a Hickory 9 " " " N 63° E 241 " "

Land sandy, N 1/2 mile Oak land thinly timbered

North Boundary. Var. 6° 30' E.

West on the S. Boundary of Sec. 36, T. 20 N., R. 5 W

October 12. 1819

5.00 passed Prairie

15.00 enter "

T. 19 N., R. 5 W. 2. Mer. Ind. a.  
Chs. 20?

24.00 passed Prairie

35.00 enter "

40.00 set q. sec. post from which

a W. Oak 24 in. dia. leans S 89 W 55 8 lbs. dist.

(no other Bearing tree)

45.00 passed Prairie

80.00 set post cor. of sec. 35 & 36 from which a Hickory 12

in. dia. Corner tree, from which

a Hickory 12 in. dia. leans S 69 W 8 lbs. dist.

Oak & Hickory land of a very good quality, good farming land

West on the S. Boundary of Sec. 35, T 20 N., R 5 W

30.00 enter Prairie

40.00 set q. sec. post from which

a Jack Oak 30 in. dia. leans S 4 E 74 lbs. dist.

(no other Bearing tree)

50.00 passed Prairie

80.00 set post cor. of sec. 34 & 35 from which

a W. Oak 36 in. dia. leans N 35 W 43 lbs. dist. &

a W. Hickory 14 " " " S 10 W 76 " "

Land 2<sup>nd</sup> rate, timber Oak & Hickory, middling farming land, Prairie rather wet

West on the S. Boundary of Sec. 34, T 20 N., R 5 W

40.00 set q. sec. post from which

a Hickory 12 in. dia. leans S 18 W 32 lbs. dist. &

a Do 9 " " " N 72 E 41 " "

80.00 set post cor. of sec. 33 & 34 from which

a Hickory 14 in. dia. leans N 86 E 22 lbs. dist. &

a Do 12 " " " S 88 W 21 " "

Land rich & good for farming, timber Oak & Hickory, some Walnut & Ash

West on the S. Boundary of Sec. 33, T 20 N., R 5 W

40.00 set q. sec. post from which

T. 19 N., R. 5 W. 2. Mer. Ind.<sup>a</sup>

Chr. Chr.

a Hickory 10 in. diameter N 49 W 28 lbs. dist. 8

a Do 12 " " " S 18 E 33 " "

70.00 enter Prairie

79.00 passed "

80.00 set post cor. of sec. 32 &amp; 33 from which

a W. Oak 24 in. diameter N 67 E 20 lbs. dist. 8

a Do 24 " " " S 52 W 66 " "

Oaks &amp; Hickory land of a middling good quality interspersed with small wet Prairies

West on the S. Boundary of Sec. 32, T. 20 N., R. 5 W

5.00 enter Prairie

12.00 passed "

40.00 set q. sec. post from which

an Elm 15 in. diameter S 50 E 27 lbs. dist. 8

a Hickory 9 " " " N 66 W 27 " "

75.00 enter Prairie

80.00 set post cor. of sec. 31 &amp; 32 from which

a W. Oak 20 in. diameter N 11 W 176 lbs. dist.

(no other Bearing tree)

Land similar to that in last mile

West on the S. Boundary of Sec. 31

2.00 passed Prairie

27.00 enter "

32.00 passed "

46.00 set q. sec. post from which

a W. Oak 18 in. diameter S 62 E 45 lbs. dist. 8

a Do 36 " " " S 84 W 25 " "

73.89 Intersect Range line 720 lbs. N. of temp. Township

cor. post - set post at intersection cor. of T. 19 &amp; 20

N., R. 5 &amp; 6 W. from which

a W. Oak 24 in. diameter S 19 E 40 lbs. dist. 8

a Do 18 " " " N 67 W 85 " "

2. rate Oaks &amp; Hickory land

T. 19 N., R. 54 W. 2. Mer. Ind.<sup>u</sup>  
Chs. 2nd

West Boundary. Var. E. 45. E. by Obscn.  
North on the E. Boundary of Sec. 36, T. 19 N., R. 6 W  
October 2, 1819

40.00 set of sec. post from which

a Beech 9 in. diameter N 56 E 11 lbs. dist 8

an Oak 18 " " " S 2 W 17 " "

80.00 set post cor. of sec. 25 & 36 from which

a W. Ash 9 in. diameter N 54 E 32 lbs. dist 8

a Buckeye 8 " " " S 40 W 10 " "

Land level 2. rate, timber Beech, Sugar, Oak,  
Ash, Elm, middling good farming land,  
part rather wet

North on the E. Boundary of Sec. 25, T. 19 N., R. 6 W

40.00 set of sec. post from which

a Beech 8 in. diameter N 25 E 15 lbs. dist 8

a Sugar 27 " " " S 48 W 1 " "

74.00 a Brook 3 lbs. wide course E

80.00 set post cor. of sec. 24 & 25 from which

a Beech 18 in. diameter S 72 E 11 lbs. dist 8

an Elm 4 " " " N 70 W 20 " "

Land same as last noted.

North on the E. Boundary of Sec. 24, T. 19 N., R. 6 W

40.00 set of sec. post from which

an Elm 12 in. diameter N 21 E 40 lbs. dist 8

a W. Oak 8 " " " South 29 " "

80.00 set post cor. of sec. 13 & 24 from which

a Cherry 10 in. diameter N 52 W 4 lbs. dist 8

a Hackberry 14 " " " S 80 E 30 " "

Mostly 1. rate land, some part too wet,  
timber Beech, Sugar, Walnut, Hackberry,  
Buckeye, Ash, Elm &c.

North on the E. Boundary of Sec. 13, T. 19 N., R. 6 W

5.50 a Spring to the W. of the line

## T. 19 N., R. 5 W. 2. Mer. Ind.?

Ch. Exp.

10.00 a Brook 12 lbs. wide course S W

40.00 set g. sec. post from which

a W. Oak 18 in. dia. leans S 23 W 24 lbs. dist. 8

a Do 8 " " " N 1 W 24 " "

62.50 enter wet &amp; boggy Prairie

80.00 set post cor. of sec. 12 &amp; 13 from which

a W. Oak 30 in. dia. leans N 10 W 14 lbs. dist. 8

a Do 20 " " " N 82 E 10 " "

Land rich &amp; good for farming

North on the E. Boundary of Sec. 12, T. 19 N., R. 5 W

2.00 a Spring branch 10 lbs. wide course E

10.00 passed Prairie

32.00 enter " Same Branch course S W

40.00 set g. sec. post from which

a W. Oak 27 in. dia. leans N 74 W 93 lbs. dist. 8

a J. Oak 9 " " " North 55 " "

60.00 passed Prairie

70.00 enter same Prairie

75.00 passed " "

80.00 set post cor. of sec. 12 &amp; 12 from which

a B. Oak 30 in. dia. leans S 86 E 27 lbs. dist. 8

a Hickory 10 " " " N 71 W 30 " "

Upland Oaks & Hickory, good for farming -  
Prairie wet & swampy

North on the E. Boundary of Sec. 1

27.00 enter Prairie

33.00 passed "

40.00 set g. sec. post from which

a W. Oak 12 in. dia. leans N 49 W 13 lbs. dist. 8

a Do 36 " " " S 30 E 24 " "

41.00 enter Prairie

50.00 passed "

65.00 enter wet Prairie

75.00 passed " "



T. 19 N., R. 5 W., S. 2. Mea. Ind. a.  
Chr. Lp.

80.00 set temp. Township corner post  
Land 2<sup>d</sup> rate, thinly timbered with Oak & Hick-  
ory. Some wet Prairies.

Surveyed in 1819 by William Harris  
Dep. Surveyor

Subdivision. Var. 6° 30' E.

West between Sec. 25 & 36, T 19 N, R 5 W

2.00 a Poplar 12 in. dia.

34.29 a W. Oak 24 " "

40.00 set g. sec. post from whril

a Beech 9 in. dia. bears N 20° W 24 lbs. dist &

a Do 15 " " " S 1 E 60 " "

80.00 set post cor. of sec. 25, 26, 35 & 36 from whril

a Sugar 6 in. dia. bears S 19° E 20 1/2 lbs. dist &

a Do 6 " " " N 19° W 48 " "

First 1/2 mile land broken, timber Poplar, Ash,  
Sugar, Beech - last 1/2 mile land level 2<sup>d</sup> rate

North between Sec. 25 & 26

7.24 a Spring branch 8 lbs. wide course S W

12.00 a Beech 18 in. dia.

40.00 set g. sec. post from whril

a B. Oak 48 in. dia. bears S 77° W 11 lbs. dist &

a Sugar 12 " " " N 55° E 48 " "

60.00 a Station 50 lbs. wide course N W

74.50 an Ironwood 9 in. dia.

80.00 set post cor. of sec. 23, 24, 25 & 26 from whril

an Ash 18 in. dia. bears N 61° E 17 lbs. dist &

a Cherry 4 " " " S 75° W 16 " "

Land level 2<sup>d</sup> rate, timber Poplar, Sugar, Walnut,  
Wp. Spice &c.

East on Random between Sec. 24 & 26

22.50 a Creek 100 lbs. wide course S W

40.00 set temp. g. sec. post

## T. 19 N., R. 5 W. 2. Mer. Ind. 4

Chs. Grs.

72.50 a Branch 15 lbs. wide course NW

80.00 Intersect E. Boundary 90 lbs. S. of part -  
Land level 2. rate, timber Walnut, Sugar, Ash  
& Upr. Spruce

West Connected between Sec. 24 &amp; 25

7.31 a W. Oak 30 in. dia.

39.78 a Do 30 " "

40.03 set g. sec. part at corner. dist. from which  
a Sugar 15 in. dia. decurs N 70 E 8 lbs. dist. 8  
a Do 12 " " " S 80 W 43 " "

41.86 a Do 24 " "

80.00 to sec. cor.

North between Sec. 23 &amp; 24

9.86 a W. Oak 24 in. dia.

40.00 set g. sec. part. from which  
a W. Oak 24 in. dia. decurs S 10 E 31 lbs. dist. 8  
a Do 30 " " " West 2 " "

40.75 a Do 20 " "

61.50 a Swamp 700 lbs. wide

70.12 a W. Oak 30 in. dia.

80.00 set part cor. of sec. 13, 14, 23 & 24 from which  
a W. Oak 30 in. dia. decurs S 61 W 13 lbs. dist. 8  
a Do 9 " " " N 34 E 12 " "First 1/2 mile land 1. rate, timber Walnut,  
Hickory, Cherry, Buckeye & Upr. Spruce -  
last 1/2 mile some wet, 3. rate, timber Oak

East in Random between Sec. 13 &amp; 24

32.50 a Stream 20 lbs. wide course S.

40.00 set temp. g. sec. part

49.50 a Stream 14 lbs. wide course SW

68.50 a Do 40 " " " SW

80.54 Intersect E. Boundary 120 lbs. S. of part -

Land level 2. rate, timber Ash, Sugar, Poplar

T. 19 N., R. 5 W. 2. Mer. Ind.<sup>a</sup>  
 Chr. Sh.

West Corrected between Sec. 13 & 14

40.27 set of sec. post at aver. dist. from which  
 a Sugar 14 in. dia. bears S 32 E 28 lbs. dist. 8  
 a Do 18 " " " N 10 E 37 " "

60.27 a W. Oak 24 " "

80.54 to sec. cor.

North between Sec. 13 & 14

8.00 a Stream 15 lbs. wide course E.

39.63 a Hickory 10 in. dia.

40.00 set of sec. post from which  
 a W. Oak 30 in. dia. bears S 68 W 24 lbs. dist. 8  
 a Do 9 " " " N 42 E 32 " "

47.00 a Spruce 15 " "

52.00 a Stream 50 lbs. wide course S E

57.80 a Burr Oak 30 in. dia.

80.00 set post cor. of Sec. 11, 12, 13 & 14 from which  
 a Beech 24 in. dia. bears N 52 E 50 lbs. dist. 8  
 a Do 24 " " " S 50 W 63 " "  
 Land level 2. rate, timber Ash, Walnut,  
 Beech, Sugar & Wyp. Spice

East on Random between Sec. 12 & 13

40.00 set temp. of sec. post

43.10 a Stream 20 lbs. wide course E

80.00 Intersect E. Boundary 200 lbs. E. of post—  
 Land level 2. rate, timber Beech, Sugar,  
 Oak & Wyp. Spice

West Corrected between Sec. 12 & 13

7.44 a W. Oak 30 in. dia.

40.00 set of sec. post at aver. dist. from which  
 a W. Oak — in. dia. bears S 77 W 10 lbs. dist. 8  
 a Spruce 14 " " " N 22 W 32 " "

41.70 a Beech 20 " "

80.00 to sec. cor.

T 19 N., R. 5 W. 2. Mer. Ind.<sup>a</sup>

Chs. Shs?

North between Sec. 11 &amp; 12

37.50 a Sugar 15 in. dia.

40.00 set of sec. port from which

a Sugar 12 in. dia. bears S 75 E 49 lbs. dist 8

a W. Oak 24 " " " N 48 W 36 " "

53.62 a Hickory 18 " "

72.50 a Swamp 2.50 Chs. wide

80.00 set port cor. of sec. 1, 2, 11 &amp; 12 from which

a Sugar 12 in. dia. bears N 52 E 44 lbs. dist 8

a B. Oak 30 " " " S 39 W 37 " "

Timber Ash, Oak, Beech, Elm &c 1<sup>st</sup> 1/2 mile land  
dry 2<sup>d</sup> rate - last 1/2 mile wet 3<sup>d</sup> rate

East on Random between Sec. 1 &amp; 12

40.00 set temp. of sec. port

51.00 a Stream 20 lbs. wide course S

80.00 Intersect E. Boundary 150 lbs. S. of port -

Land level wet inferior 2<sup>d</sup> rate, timber Sugar,  
Ash & Oak

West Connected between Sec. 1 &amp; 12

2.50 a Hickory 20 in. dia.

40.00 set of sec. port at aver. dist from which

a Sugar 18 in. dia. bears S 50 E 11 lbs. dist 8

a Do 15 " " " N 15 W 23 " "

40.20 a Hickory 20 " "

80.00 to Sec. cor. April 2, 1821

North between Sec. 1 &amp; 2

0.59 a R. Oak 36 in. dia.

6.50 enter Prairie

40.00 set of sec. port in Prairie &amp; raised a Monument

70.00 enter timbered land

88.87 Intersect N. Boundary 127 lbs. E. of port -

set port at intersection cor. of sec. 1 &amp; 2 from which

a W. Oak 24 in. dia. bears S 62 E 13 lbs. dist 8

T. 19 N., R. 54 W. 2. Mer. Ind.<sup>a</sup>  
Chs. Lk.

a B. Oak 24 in. dia. leans N 52 W 50 lbs. dwt.  
Tinder Oak, Hickory - Prairie dry 2. rate

West between Sec. 26 & 35

1.75 a Stream 12 lbs. wide course S  
12.80 a R. Oak 30 in. dia.  
28.00 a Beech 24 " "  
40.00 set of sec. part from which  
a W. Oak 24 in. dia. leans N 22 E 4 lbs. dwt. &  
a R. Oak - " " " S 37 E 38 " "  
61.50 a Creek 40 lbs. wide course S  
67.95 a Walnut 20 in. dia.  
80.00 set part con. of sec. 26, 27, 34 & 35 from which  
a W. Oak 15 in. dia. leans N 14 W 27 lbs. dwt. &  
a Buckeye 2 " " " S 55 E 10 " "  
Land 2. rate willing, timber Walnut, Sugar,  
Hackberry & Hfr. Spruce

North between Sec. 26 & 27

2.02 a Walnut 18 in. dia.  
17.62 a Sugar 24 " "  
40.00 set of sec. part from which  
a Hickory 18 in. dia. leans S 79 W 25 lbs. dwt. &  
an Elm 10 " " " S 30 E 45 " "  
50.00 a Beech 24 " "  
80.00 set part con. of sec. 22, 23, 26 & 27 from which  
a W. Oak 24 in. dia. leans N 33 E 30 lbs. dwt. &  
a Do - " " " S 34 W 26 " "  
Land level 2. rate, timber Oak, Sugar, Spruce,  
Beech &c.

East on Random between Sec. 23 & 26

40.00 set temp. of sec. part  
74.25 a Stream 20 lbs. wide course S  
79.70 Entered N & S line 11 lbs. N. of part -  
Land level 2. rate, timber Sugar, Oak, Ash,



T. 19 N., R. 5 W. 2. Mer. Ind.<sup>a</sup>  
 Ch. Sp.  
 Hickory &

West Connected between Sec. 23 & 26

0.79 a Sugar 24 in. dia.

39.85 tot gr. sec. part at aver. dist. from which  
 an Ash 12 in. dia. bears N 39 E 10 lbs. dist. 8  
 a Cherry 8 " " " S 35 E 9 " "

69.23 a Walnut 24 " "

79.70 to sec. cor.

North between Sec. 22 & 23

22.77 a W. Oak 36 in. dia.

40.00 tot gr. sec. part from which

a Poplar 36 in. dia. bears S 67 E 41 lbs. dist. 8

a Beech 30 " " " S 64 W 28 " "

44.62 a Do 12 " "

79.00 a Stream 10 lbs. wide course E

80.00 tot part cor. of Sec. 14, 15, 22 & 23 from which

a W. Oak 24 in. dia. bears N 45 W 16 lbs. dist. 8

a Maple 9 " " " S 82 E 25 " "

Land level & rate, timber Oak, Poplar, Beech,  
 Ash & W. Spruce

East in Random between Sec. 14 & 23

19.00 a Swamp 6.50 E lbs. wide

40.00 tot temp. gr. sec. part

47.00 wet Prairie 16.00 E lbs. wide

80.46 Intersect N. S. line 46 lbs. N of part -

Land inclining to wet, 3<sup>d</sup> rate, timber Oak,  
 Elm, Hickory

West Connected between Sec. 14 & 23

6.50 a W. Oak 24 in. dia.

40.23 tot gr. sec. part at aver. dist. from which

a W. Oak 14 in. dia. bears N 12 W 10 lbs. dist. 8

a Do 18 " " " S 35 E 13 " "

T. 19 N., R. 5 W. 2. Mea. Ind. a.

Ch. Lp.

80.46 to sec. en.

North between Sec. 14 & 15

13.88 a Hickory 16 in. dia.

40.00 tot g. sec. part from which

a Sugar 15 in. dia. diam 969 @ 9 lbs. dwt. &

a Beech 12 " " " 1107 @ 27 " "

50.15 a Spruce 24 " "

80.00 tot part en. of sec. 10, 11, 14 & 15 from which

a Beech 24 in. dia. diam 956 @ 33 lbs. dwt. &

an Ash 14 " " " 922 @ 49 " "

Land level 2. rate, timber Sugar, Beech,  
Ash, Hickory

East on Random between Sec. 11 & 14

22.75 a Stream 25 lbs. wide course S

40.00 tot temp. g. sec. part

61.75 a Stream 25 lbs. wide course S

80.20 Intersect N. S. line 50 lbs. N. of part -

Land level 2. rate, timber Beech, Ash, Oak,  
Hickory &c.

West Connected between Sec. 11 & 14

37.75 a W. Oak 24 in. dia.

40.00 tot g. sec. part at area. dwt. from which

a Beech 24 in. dia. diam 1687 @ 13 lbs. dwt. &

a Do 10 " " " 947 @ 37 " "

68.70 a Sugar 12 " "

80.20 to sec. en. April 3. 1821

North between Sec. 10 & 11

9.50 a R. Oak 18 in. dia.

40.00 tot g. sec. part from which

a Sugar 15 in. dia. diam 150 @ 30 lbs. dwt. &

a Do 12 " " " 142 @ 32 " "

40.75 a Stream 25 lbs. wide course E

T. 19 N., R. 5 W. 2. Mer. Ind.<sup>u</sup>

Chr. Lks.

61.25 am Elm 24 in. dia.

80.00 set post cu. of sec. 2, 3, 10 & 11 from which  
an Ash 24 in. dia. bears S 32 E 21 lbs. dist. &  
a Do 9 " " " S 48 W 23 " "  
Land rolling & rate, timber Ash, Sugar,  
Buckeye, Beech & Wgn. Spice

East in Random between Sec. 2 &amp; 11

3.20 a Stream 20 lbs. wide course SE

40.00 set temp. of sec. post

79.99 Intersect N & S. line 85 lbs. N. of post -  
Land wet in places, 2<sup>d</sup> rate, timber Sugar,  
Ash Oak, Beech, Elm &c.

West Canceled between Sec. 2 &amp; 11

0.02 a B. Oak 12 in. dia.

39.99 set of sec. post at aver. dist. from which  
a W. Oak 8 in. dia. bears N 99 W 8 lbs. dist. &  
a Syc 6 " " " S 6 E 20 " "

70.00 a Sycamore 36 in. dia.

79.99 to sec. cu.

North between Sec. 2 &amp; 3

1.25 a Stream 8 lbs. wide course SE

11.25 a Sugar 24 in. dia.

40.00 set of sec. post from which  
a B. Oak 20 in. dia. bears S 18 W 24 lbs. dist.  
(no other Bearing tree).

40.25 enter Prairie

80.00 enter timbered land & Intersect N. Boundary 200  
lbs. E. of post - set post at intersection cu. of sec.  
2 & 3 from which  
an Elm 36 in. dia. bears S 40 E 98 lbs. dist. &  
a Hickory 15 " " " N 9 W 54 " "  
Land level 2<sup>d</sup> rate, timber Oak & Hickory  
Prairie dry

T. 19 N., R. 5 W. 2. Mer. Ind.<sup>a</sup>  
Chr. Spr.

North between Sec. 33 & 34

5.25 a Beech 12 in. dia.

29.12 a Do 9 " "

40.00 set of sec. part from which

a Buckeye 6 in. dia. leans N 80 E 24 lbs. dist. 8

a Do 15 " " " S 79 W 12 " "

57.68 a Do 9 " "

80.00 set part cor. of sec. 27, 28, 33 & 34 from which

a Sugar 12 in. dia. leans S 65 E 36 lbs. dist. 8

a Maple 6 " " " N 38 W 50 " "

Land rolling 2. rate, timber Sugar, Buckeye,  
Hackberry, Walnut & Upr. Spruce

East on Randon between Sec. 27 & 34

0.50 a Stream 25 lbs. wide course SE

40.00 set temp. of sec. part

58.75 a Stream 40 lbs. wide course SE

82.62 Intersect N. S. line 80 lbs. S. of part -

Land rolling 2. rate, timber Buckeye,  
Hackberry, Walnut & Upr. Spruce

West Connected between Sec. 27 & 34

1.00 a Hickory 8 in. dia.

41.31 set of sec. part at aver. dist. from which

a Hickory 10 in. dia. leans S 53 W 6 lbs. dist. 8

a W. Oak 20 " " " N 52 W 39 " "

82.37 a Do 24 " "

82.62 to sec. cor.

North between Sec. 27 & 28

0.25 a Stream 25 lbs. wide course SE

4.75 a Hickory 10 in. dia.

40.00 set of sec. part from which

a Hickory 8 in. dia. leans S 55 E 15 lbs. dist. 8

a Do 15 " " " N 67 W 32 " "

45.25 a Sugar 12 " "

T 19 N., R. 5 W. 2. Mer. Ind. <sup>a</sup>

Chs. 24?

73.72 a Stream 25 lbs. wide course SE

80.00 set post cor. of sec. 21, 22, 27 &amp; 28 from which

a W. Oak 20 in. dia. bears S 40 E 3 lbs. dist. 27

a Do 6 " " " N 28 W 3 " "

Land level 2 rate, timber Sugar, Beech, Ash,  
Oak, & Wgs. Spice

East on Random between Sec. 22 &amp; 27

33.75 a Stream 2 lbs. wide course SE

40.00 set temp. g. sec. post

82.50 Intersect N &amp; S line 68 lbs. S. of post -

Land level 2 rate, timber Oak, Hickory, Ash &amp;c.

West Corrected between Sec. 22 &amp; 27

3.30 a Hickory 18 in. dia.

41.25 set g. sec. post at aver. dist. from which

a Sugar 10 in. dia. bears S 20 E 18 lbs. dist. 8

a Do 12 " " " N 27 W 33 " "

77.50 a Do 10 " "

82.50 to sec. cor.

North between Sec. 21 &amp; 22

11.75 a Sugar 24 in. dia.

22.00 a Do 12 " "

40.00 set g. sec. post from which

a Hickory 4 in. dia. bears N 21 W 15 lbs. dist. 8

a Do 15 " " " S 37 E 40 " "

43.75 a Beech 24 " "

70.50 a Stream 5 lbs. wide course SW

80.00 set post cor. of sec. 15, 16, 21 &amp; 22 from which

an Elm 15 in. dia. bears S 82 E 9 lbs. dist. 27

a Do 9 " " " N 40 W 22 " "

Land level 2 rate, timber Oak, Sugar, Beech &amp;c.

East on Random between Sec. 15 &amp; 22

40.00 set temp. g. sec. post



T. 19 N., R. 5 W. 2. Mer. Ind.<sup>a</sup>  
Chs. Shs?

81.95 Interest No. 1. line 49 lbs. S. of post -  
Land rolling State, timber Beech, Sugar, Oak,  
Hickory &c. April 4. 1821

---

West Connected between Sec. 15 & 22

40.97 1/2 set of sec. post at aver. dist. from which  
a W. Walnut 12 in. dia. bears S 60° W 9 lbs. dist. 8  
a Hickory — " " " N 11° W 29 " "  
69.87 a Beech 24 " "  
81.45 to sec. cen.

---

North between Sec. 15 & 16

5.75 a Sugar 20 in. dia.  
23.88 a Do 20 " "  
40.00 set of sec. post from which  
a Sugar 12 in. dia. bears S 26° E 24 lbs. dist. 8  
a Beech 30 " " " N 75° W 26 " "  
66.75 Beech & Elm timber  
80.00 set post cen. of sec. 9, 10, 15 & 16 from which  
a Beech 8 in. dia. bears S 32° E 8 lbs. dist. 8  
a Do 24 " " " N 60° W 20 " "  
Land rolling T. State, timber Buckeye, Wal-  
nut, Sugar &c. Upr. Spice

---

East on Random between Sec. 10 & 15

40.00 set temp. of sec. post  
81.90 Interest No. 1. line 40 lbs. S. of post -  
Land level State, timber Sugar, Beech,  
Ash &c. Upr. Spice

---

West Connected between Sec. 10 & 15

2.74 a W. Oak 18 in. dia.  
40.95 set of sec. post at aver. dist. from which  
a Sugar 24 in. dia. bears N 18° W 23 lbs. dist.  
a Beech 14 " " " S 85° E 46 " "  
71.81 a Bur Oak 30 in. dia.

T. 19 N., R. 5 W. 2. Mer. Ind.<sup>h</sup>  
Ch. Lk.

81.90 to sec. cor.

North between Sec. 9 & 10

40.00 a W. Oak 30 in. dia.

15.12 a B. Oak 14 " "

40.00 set of sec. post from which

a W. Oak 30 in. diameter N 75° W 40 lbs. dist. 8

a S. 24 " " " S 81° E 74 " "

40.75 a S. 12 " "

55.50 a Swamp 5.00 Ch. wide

78.96 a Hickory 20 in. dia.

80.00 set post cor. of sec. 3, 4, 9 & 10 from which

a Hickory 18 in. diameter N 57° W 25 lbs. dist. 8

a W. Ash 4 " " " S 53° E 19 " "

Land 3 rods, in places wet, timber Oak,  
Hickory, Ash &c.

East on Random between Sec. 3 & 10

40.00 set temp. g. sec. post

73.75 a Stream 20 lbs. wide course NE

81.98 Intersection N. S. line 50 lbs. S. of post -

Land, <sup>on 1/2 m. S.</sup> wet 3 rods, last 1/2 mile, timber  
Walnut, Ash, Sugar, Hackberry &c. Wye.  
Spice, land rolling 1/2 mile

West Corrected between Sec. 3 & 10

2.12 a Hickory 20 in. dia.

40.99 set of sec. post at aver. dist. from which

a B. Oak 42 in. diameter S 7° E 24 lbs. dist. 8

a W. Walnut - " " " N 87° W 32 " "

74.53 a Hickory 9 " "

81.98 to sec. cor.

North between Sec. 3 & 4

18.75 a Hickory 12 in. dia.

40.00 set of sec. post from which

T. 19 N., R. 5 W. 2. Mer. Ind. a.  
Ch. 1st.

a B. Oak 30 in. di. duars S 40° W 47 lbs. dist 8  
a Do 30 " " " N 62° E 50 " "  
64.85 a Hickory 12 " "  
89.50 Intersect N. Boundary 190 lbs. E. of point -  
tot point at intersection cor. of sec. 3 & 4 from  
which a W. Oak 36 in. di. duars S 29° E 40 lbs. d.  
a an Ash - " " " N 40° W 30 " "  
Land level 3<sup>d</sup> rate, timber Oak & Hickory  
April 5. 1821

North between Sec. 32 & 33

6.55 a Beech 18 in. di.  
26.75 a Sugar 10 " "  
40.00 tot of sec. point from which  
a B. Oak 12 in. di. duars N 70° W 24 lbs. dist 8  
a Iron P. 8 " " " S 26° E 18 " "  
46.75 a Hickory 18 " "  
80.00 tot point cor. of sec. 28, 29, 32 & 33 from which  
a Hickory 10 in. di. duars S 75° W 50 lbs. dist.  
a Beech 12 " " " S 51° E 58 " "  
Land level 2<sup>d</sup> rate, timber Sugar, Beech,  
Hickory &c.

East on Random between Sec. 28 & 33

40.00 tot temp. of sec. point  
80.25 Intersect N. S. line 70 lbs. S. of point -  
Land rolling 2<sup>d</sup> rate, timber Sugar,  
Beech, Oak &c.

West Corner between Sec. 28 & 33

40.12 1/2 tot of sec. point at aver. dist. from which  
a B. Oak 36 in. di. duars N 10° E 4 lbs. dist 8  
a Beech 12 " " " S 2° W 59 " "  
62.34 a Sugar 18 " "  
80.25 to sec. cor.

T. 19 N., R. 5 W. 2. Mer. Ind.<sup>u</sup>  
 Ch. L. H.

North between Sec. 28 & 29

11.80 a Sugar 30 in. dia.

38.75 a Stream 2 hrs. wide course E

40.00 tot q. sec. part from which

a Buckeye 8 in. dia. bears N 29° W 18 hrs. dist.

La E — 15 " " " S 26° E 9 " "

43.80 a W. Oak 36 " "

80.00 tot part cor. of sec. 20, 21, 28 & 29 from which

a Beech 12 in. dia. bears N 24° W 22 hrs. dist. S

a Sugar 15 " " " S 72° E 46 " "

Land rolling S. rate, timber Buckeye,  
 Hackberry, Sugar, Beech & Upr. Spice

East on Rauden between Sec. 21 & 28

40.00 tot temp. q. sec. part

73.25 a Stream 12 hrs. wide course E

77.00 a Do 14 " " " S E

80.12 Interset N & S. line 70 hrs. S. of part -

Land rolling S. rate, timber Sugar, Beech,  
 Ash & Upr. Spice

West Connected between Sec. 21 & 28

40.06 tot q. sec. part at aver. dist. from which

a Hickory 12 in. dia. bears N 74° W 6 hrs. dist.

La Sugar 6 " " " S 4° W 13 " "

76.25 an Ash 24 " "

80.12 to sec. cor.

North between Sec. 20 & 21

25.25 a W. Oak 12 in. dia.

40.00 tot q. sec. part from which

a Sugar 12 in. dia. bears N 25° E 25 hrs. dist. S

a W. Oak 24 " " " S 62° W 67 " "

48.55 a Sugar 24 " "

80.00 tot part cor. of sec. 16, 17, 20 & 21 from which

a Hickory 24 in. dia. bears N 84° W 8 hrs. dist. S

T. 19 N., R. 5 W. 2. Mer. Ind.<sup>a</sup>

Ch. 2<sup>d</sup>

a Sugar 15 in. dia. bears N 81 E 50 Ms. dist. 2,  
Land level 2<sup>d</sup> rate, timber Beech, Sugar Oak, Hickory &c.

East on Random between Sec. 16 & 21

40.00 set temp. g. sec. post

80.10 Interest N & S. line 80 Ms. S. of post =

Land level 2<sup>d</sup> rate, timber Sugar, Beech, Oak,  
Hickory &c.

West Connected between Sec. 16 & 21

3.64 a Honey Locust 20 in. dia.

40.05 set g. sec. post at aver. dist. from which

a Beech 15 in. dia. bears S 73 W 7 Ms. dist. 2

a Gum 15 " " " N 21 E 45 " "

70.50 a Do 18 " "

80.10 to sec. cor.

North between Sec. 16 & 17

9.60 a Beech 12 in. dia.

36.50 a Swamp 1.50 Ch. wide

40.00 set g. sec. post from which

a Willow 8 in. dia. bears N 57 E 9 Ms. dist.

(no other Bearing tree)

48.00 a P. Oak 24 in. dia.

80.00 set post cor. of sec. 8, 9, 16 & 17 from which

a Hawthorn 6 in. dia. bears S 64 E 34 Ms. dist. 2

a Walnut 24 " " " S 86 W 69 " "

Land wet 3<sup>d</sup> rate, timber Oak &c.

East on Random between Sec. 9 & 16

37.00 enter Prairie

40.00 set temp. g. sec. post in Prairie

60.00 enter timbered land

79.96 Interest N & S. line 62 Ms. S. of post =

Land dry 3<sup>d</sup> rate, timber Beech, Oak, Hickory &c.

April 6. 1821



T. 19 N., R. 5 W. 2<sup>d</sup> Mer. Ind.<sup>a</sup>  
Elev. Sp?

West Connected between Sec. 9 & 10

0.40 an Ash 20 in. dia.

39.98 set g. sec. post at aver. dist. from which no Bear-  
ing) in Prairie & raised a Mound

71.73 a B. Oak 24 in. dia.

79.96 to sec. cor.

---

North between Sec. 8 & 9

9.55 a R. Oak 12 in. dia.

40.00 set g. sec. post from which

a R. Oak 24 in. dia. bears S 42° - 5 W. dist. 8

a S 20° s s s N 33° W 43° s s

48.50 enter Prairie

76.00 s timbered land

77.10 a Hickory 12 in. dia.

80.00 set post cor. of Sec. 4, 5, 8 & 9 from which

a Hickory 3 in. dia. bears S 44° W 6 W. dist. 8

a B. Oak 6 s s s N 73° E 19 s s

Land level & dry 3 rods, timber Oak & Hickory

---

East on Random between Sec. 4 & 9

18.50 enter Prairie

40.00 set temp. g. sec. post in Prairie

50.00 enter timbered land

79.86 Intersect N & S. line 50 W. S. of post -

Land level & dry 2 rods, timber Oak & Hickory

---

West Connected between Sec. 4 & 9

1.63 a W. Oak 24 in. dia.

39.93 set g. sec. post at aver. dist. & raised a Mound

79.00 a R. Oak 12 in. dia.

79.86 to sec. cor.

---

North between Sec. 4 & 5

17.50 a B. Oak 12 in. dia.

29.00 enter Prairie

T. 19 N., R. 5 W. T. Mer. Ind. a.  
 40 W. Sp.

40.00 set g. sec. post in Prairie & raised a Mound

48.00 enter timbered land

80.00 enter Prairie

89.33 Intersect N. Boundary 175 W. E. of post -  
 set post at intersection, cen. of sec. 4 & 5 in Prairie  
 & raised a Mound  
 Land level & dry 3<sup>rd</sup> rate, timber Oak &c.  
 April 7. 1827

North between Sec. 31 & 32

7.50 a Maple 18 in. dia.

40.00 set g. sec. post from which

a B. Oak 12 in. dia. bears N 78 W 42 W. dist 3

a Dr 20 " " " S 42 E 38 " "

61.00 a R. Oak 36 " "

80.00 set post cen. of sec. 29, 30, 31 & 32 from which

a Maple 8 in. dia. bears N 63 W 29 W. dist. 3

a Dr 4 " " " S 15 E 26 " "

Land rolling 3<sup>rd</sup> rate, timber Beech, Oak, Maple &c.

East or Random between Sec. 29 & 32

5.25 a Stream 25 W. wide course S.

40.00 set temp. g. sec. post

80.50 Intersect N. & S. line 30 W. N. of post -

Land rolling 2<sup>nd</sup> rate, timber Beech, Sugar,  
 Oak &c. Upr. Spice

West Corrected between Sec. 29 & 32

40.25 set g. sec. post at aver. dist. from which

a Beech 12 in. dia. bears N 38 E 8 W. dist 3

an Elm 18 " " " S 60 E 19 " "

60.75 a Sugar 24 " "

80.50 to sec. cen.

West between Sec. 30 & 31

5.50 a Poplar 72 in. dia.

T. 19 N., R. 5 W. 2. Mer. Ind.?

Ch. Lk.

40.00 tot of sec. part from which  
 a Beech 10 in. dia. leans N 35 W 18 lbs. dist. 8  
 a W. Oak 24 " " " S 50 E 26 " "  
 62.50 a Beech 12 " "  
 65.00 a Stream 10 lbs. wide course NE  
 76.75 Intersect W. Boundary 45 lbs. S. of part -  
 tot part at intersection cr. of sec. 30 & 31 from which  
 an Ash 8 in. dia. leans S 30 E 40 lbs. dist. 8  
 a W. Oak 20 " " " N 28 W 35 " "  
 Land flat 3<sup>d</sup> rate, timber Beech & Oak

---

North between Secs. 29 & 30

3.00 a Stream 25 lbs. wide course SE  
 4.15 a Sycamore 12 in. dia.  
 40.00 tot of sec. part from which  
 a Syc 24 in. dia. leans S 85 W 12 lbs. dist. 8  
 a Hickory 4 " " " S 21 E 24 " "  
 62.00 an Ash 12 " "  
 80.00 tot part cr. of sec. 19, 20, 29 & 30 from which  
 a Sugar 12 in. dia. leans S 26 E 27 lbs. dist. 8  
 a Do 12 " " " N 31 W 20 " "  
 Land level 3<sup>d</sup> rate, timber Sugar, Ash, Elm,  
 Syc., some wet

---

East on Random between Secs. 20 & 29

40.00 tot temp. of sec. part  
 80.20 Intersect N & S line 20 lbs. N. of part -  
 Land rolling 3<sup>d</sup> rate, timber Walnut, Sugar,  
 Beech &c.

---

West corrected between Secs. 20 & 29

8.58 a W. Oak 24 in. dia.  
 40.10 tot of sec. part at aver. dist. from which  
 an Elm 18 in. dia. leans S 5 E 12 lbs. dist. 8  
 a Sugar - " " " N 52 W 26 " "  
 79.85 a Syc 24 " "

T. 19 N., R. 5 W. 2<sup>d</sup> Mer. Ind.<sup>2</sup>  
Chs. Sp.

80.20 to sec. cor.

West between Sec. 19 & 30

15.90 a W. Oak 36 in. dia.

40.00 set of sec. part from which

a Sugar 12 in. dia. bears N 10 E 8 lbs. dist 8

a Beech 36 " " " S 10 E 20 " "

72.00 a Dr 18 " "

77.75 Intersect W. Boundary 50 lbs. S. of part -

set part at intersection cor. of sec. 19 & 30 from which

an Ash 4 in. dia. bears S 55 E 17 lbs. dist 8

a Dr 4 " " " N 45 W 17 " "

Land level 2<sup>d</sup> rate, timber Walnut, Ash,  
Buckeye, Hackberry, Sugar & Upr. Spice

North between Sec. 19 & 20

13.00 a Sugar 12 in. dia.

40.00 set of sec. part from which

a Sugar - in. dia. bears S 43 E 3 lbs. dist 8

a Poplar 24 " " " N 50 W 32 " "

52.50 a Swamp 5.00 Ck. wide

64.62 a Beech 24 in. dia.

80.00 set part cor. of sec. 17, 18, 19 & 20 from which

a B. Oak 24 in. dia. bears S 30 W 9 lbs. dist 8

a Dr 5 " " " S 85 E 12 " "

Land 2<sup>d</sup> rate, wet in places, timber Beech,  
Elm, Gum, Ash &c.

East on Random between Sec. 17 & 20

40.00 set temp. of sec. part

80.00 Intersect N. E. line 20 lbs. N. of part -

Land level 2<sup>d</sup> rate, timber Walnut, Sugar,  
Beech & Upr. Spice

West Corrected between Sec. 17 & 20

0.00 a Hickory 24 in. dia.

## T. 19 N., R. 5 W. 2. Mer. Ind. a

Ch. 2.

40.00 set g. sec. post at aver. dist. from which  
an Ash 15 in. in diam. South 8 lbs. dist. 8  
a R. Oak 18 " " N 30 E 25 " "

75.25 a No 48 " "

80.00 to sec. cor.

## West between Sec. 18 &amp; 19

1.62 an Ash 24 in. in diam.

40.00 set g. sec. post from which  
an Ash 6 in. in diam. S 27 W 18 lbs. dist. 8  
a Hickory 4 " " N 15 W 4 " "

52.12 a W. Walnut 30 in. in diam.

77.90 Intersect W. Boundary 100 lbs. S. of post -  
set post at intersection cor. of sec. 18 & 19 from which  
an Elm 18 in. in diam. S 53 E 27 lbs. dist. 8

a W. Walnut 36 " " N 65 W 3 " "

Sand level 3 rats, timber Ash, Walnut, Sugar  
& Upr. Spice April 8, 1821

## North between Sec. 17 &amp; 18

9.12 a Sugar 18 in. in diam.

18.00 a Swamp 10.00 Cor. wide

40.00 set g. sec. post from which  
a Hickory 12 in. in diam. N 75 W 28 lbs. dist. 8  
a Beech 4 " " S 85 E 9 " "

58.25 a R. Oak 24 " "

78.00 enter Prairie

80.00 set post cor. of sec. 7, 8, 17 & 18 in Prairie and  
raised a Mound

Sand level 3 rats, timber Walnut, Ash,  
Hickory & Upr. Spice

## East on Random between Sec. 8 &amp; 17

40.00 set temp. g. sec. post in Prairie

48.00 enter timbered land

79.77 Intersect N. &amp; S. line 32 lbs. N. of post -



T. 19 N., R. 5 W. 2. Mer. Ind.<sup>e</sup>  
Chs. 24?

First  $\frac{1}{2}$  mile Prairie wet 3<sup>rd</sup> rate, last  $\frac{1}{2}$  mile  
2<sup>nd</sup> rate, timber Walnut, Oak, Hickory &c.

West Corrected between Sec. 8 & 17

3.25 an Ash 18 in. dia.

39.88 $\frac{1}{2}$  set of sec. post at aver. dist. in Prairie and  
raised a Mound

79.77 to sec. cor.

West between Sec. 7 & 18

3.00 enter timbered land

31.50 enter wet Prairie

32.00 a Stream 50 lbs. wide course N W

40.00 set of sec. post in Prairie & raised a Mound

78.09 Intersect W. Boundary 150 lbs. S. of post -  
set post at intersection cor. of sec. 7 & 18 in  
Prairie & raised a Mound

Prairie wet, land 3<sup>rd</sup> rate, timber Oak,  
Hickory &c.

North between Sec. 7 & 8

4.75 a Stream 25 lbs. wide course W

10.00 enter timbered land

40.00 set of sec. post from which

a Walnut 15 in. dia. bears N 55 W 50 lbs. dist. 6

a Hackberry 12 " " " N 63 E 26 " "

54.75 an Elm 12 " " "

80.00 set post cor. of sec. 5, 6, 7 & 8 from which

a B. Oak 12 in. dia. bears N 64 E 14 lbs. dist. 8

a W. Oak 12 " " " S 80 W 7 " "

Land 3<sup>rd</sup> rate, timber Oak, Hickory, Ash

East on Random between Sec. 5 & 8

40.00 set temp. of sec. post

47.50 enter Prairie

71.00. " timbered land

T. 19 N., R. 5 W. 2<sup>d</sup> Mer. Ind.<sup>a</sup>  
 Ch. Lk.

79.68 Intersect N & S. line 12 Ms. N. of port -  
 Land level 3<sup>d</sup> rate, timber Hickory & Oak

---

West corrected between Sec. 528

39.84 set of sec. port at aver. dist. from which  
 a Hickory 12 in. diam. S 33° W 32 Ms. dist. 8  
 a Hawth 6 " " " N 2 E 23 " "

78.75 a B. Oak 18 " "

79.68 to Sec. cor.

---

West between Sec. 627

3.19 a Hickory 12 in. diam.

40.00 set of sec. port from which  
 a B. Oak 12 in. diam. S 30° W 50 Ms. dist. 8  
 a Hickory 12 " " " S 20 E 70 " "

78.40 Intersect N. Boundary 270 Ms. S. of port -

set port at intersection cor. of sec. 627 from which

a Hickory 12 in. diam. S 15° W 50 Ms. dist. 8

a B. Oak - " " " N 33° W 16 " "

Prairie & Woodland in small patches,  
 timber Oak & Hickory 3<sup>d</sup> rate

---

North between Sec. 526

4.62 an Elm 24 in. diam.

27.00 enter Prairie

40.00 set of sec. port in Prairie & raised a Mound

60.00 enter timbered land

85.00 " Prairie

91.42 Intersect N. Boundary 309 Ms. E. of port -

set port at intersection cor. of sec. 526 & raised  
 a Mound.

Timber Oak & Hickory, land dry 3<sup>d</sup> rate

April 9, 1821

---

South in Random between Sec. 35 & 36

38.00 a Creek 209 Ms. wide cor. S W

T. 19 N., R. 5 W. 2. Mer. Ind. a  
 Ch. 26.

40.00 g. sec. cr. in Creek

63.50 a Creek 220 lbs. wide course E

70.00 Do 200 " " " W

80.75 Intersect S. Boundary 100 lbs. E. of post -  
 First 1/2 mile 2<sup>nd</sup> rate land, broken, timber  
 Oak, Sugar, Walnut, Hackberry - last 1/2  
 mile 1<sup>st</sup> rate land

North corrected between Sec. 35 & 36

4.00 an Ash 24 in. dia.

17.47 a Coffeenut 20 in. dia.

40.37 1/2 g. sec. post at aver. dist. in Creek  
 (no Bearing trees)

52.00 a Sugar 12 in. dia.

80.75 to cor. of sec. 25, 26, 35 & 36 from which  
 a Sugar 6 in. dia. bears S 19 E 20 1/2 lbs. dist 8  
 a Do 6 " " " N 19 W 48 " "

South in Random between Sec. 34 & 35

15.25 a Creek 50 lbs. wide course S W

22.50 Do 50 " " " E

70.50 a Do 250 " " " NE

81.00 Intersect S. Boundary 90 lbs. E. of post -  
 Land level 1<sup>st</sup> rate, timber Walnut, Hack-  
 berry, Ash, Sugar & Myr. Spice

North corrected between Sec. 34 & 35

31.00 an Elm 30 in. dia.

40.50 1st g. sec. post at aver. dist. from which  
 a Sugar 8 in. dia. bears S 58 E 11 lbs. dist 8  
 a Hickory 14 " " " N 87 W 10 " "

76.95 a Buckeye 12 " "

81.00 to cor. of sec. 26, 27, 34 & 35 from which  
 a W. Oak 15 in. dia. bears N 14 W 27 lbs. dist 8  
 a Buckeye 12 " " " S 55 E 10 " "  
 April 11, 1821 - Surveyed by

T. 19 N., R. 5 W. 2. Mer. Ind.

B. J. Blythe  
Dep. Surveyor.

---

I certify that the foregoing transcript of  
field notes of the survey of Township N. 19  
North, in Range N. 5 West of the 2. Prin-  
cipal Meridian, in the State of Indiana,  
has been compared with the original on  
file in this office, and found to be correct.  
Surveyor General's Office  
Cincinnati, Nov. 10. 1842

William Johnston  
Sur. Genl.